








Stock list

Tool & Die industry



EDM Blocks – CF-H40S+

as sintered, grinding allowance on all dimensions, thickness ground to +0,4/+0,6 mm

Type	Item	Length +GA [mm]	Width +GA [mm]	Thickness +0.4/+0.6 [mm]
CTEB20-100,0x072,0x004,0 CF-H40S+	11966418	100	72	4
CTEB20-100,0x072,0x005,0 CF-H40S+	11966419	100	72	5
CTEB20-100,0x072,0x006,0 CF-H40S+	11966420	100	72	6
CTEB20-100,0x072,0x008,0 CF-H40S+	11966421	100	72	8
CTEB20-100,0x072,0x062,0 CF-H40S+	11966424	100	72	62
CTEB20-100,0x082,5x076,5 CF-H40S+	11797470	100	83	77
CTEB20-100,0x100,0x002,0 CF-H40S+	11797471	100	100	2
CTEB20-100,0x100,0x003,0 CF-H40S+	11627647	100	100	3
CTEB20-100,0x100,0x004,0 CF-H40S+	11627648	100	100	4
CTEB20-100,0x100,0x005,0 CF-H40S+	11797472	100	100	5
CTEB20-100,0x100,0x006,0 CF-H40S+	11627650	100	100	6
CTEB20-100,0x100,0x007,0 CF-H40S+	11797473	100	100	7
CTEB20-100,0x100,0x008,0 CF-H40S+	11797474	100	100	8
CTEB20-100,0x100,0x009,0 CF-H40S+	11966425	100	100	9
CTEB20-100,0x100,0x010,0 CF-H40S+	11627631	100	100	10
CTEB20-100,0x100,0x011,0 CF-H40S+	11966426	100	100	11
CTEB20-100,0x100,0x012,0 CF-H40S+	11627640	100	100	12
CTEB20-100,0x100,0x015,0 CF-H40S+	11627641	100	100	15
CTEB20-100,0x100,0x016,0 CF-H40S+	11797477	100	100	16
CTEB20-100,0x100,0x018,0 CF-H40S+	11627642	100	100	18
CTEB20-100,0x100,0x020,0 CF-H40S+	11627633	100	100	20
CTEB20-100,0x100,0x022,0 CF-H40S+	11966427	100	100	22
CTEB20-100,0x100,0x025,0 CF-H40S+	11797478	100	100	25
CTEB20-100,0x100,0x030,0 CF-H40S+	11797484	100	100	30
CTEB20-100,0x100,0x035,0 CF-H40S+	11797486	100	100	35
CTEB20-100,0x100,0x050,0 CF-H40S+	11627643	100	100	50
CTEB20-100,0x100,0x060,0 CF-H40S+	11627644	100	100	60
CTEB20-100,0x100,0x070,0 CF-H40S+	11966428	100	100	70
CTEB20-100,0x100,0x071,0 CF-H40S+	14436135	100	100	71
CTEB20-150,0x050,0x042,0 CF-H40S+	11797487	150	50	42
CTEB20-150,0x070,0x050,0 CF-H40S+	11797489	150	70	50
CTEB20-150,0x072,0x021,0 CF-H40S+	11966429	150	72	21
CTEB20-150,0x072,0x026,0 CF-H40S+	11797491	150	72	26
CTEB20-150,0x072,0x031,0 CF-H40S+	11966431	150	72	31
CTEB20-150,0x072,0x052,0 CF-H40S+	11797492	150	72	52
CTEB20-150,0x072,0x062,0 CF-H40S+	11797494	150	72	62
CTEB20-150,0x080,0x045,0 CF-H40S+	11797497	150	80	45
CTEB20-150,0x080,0x065,0 CF-H40S+	11797498	150	80	65

EDM Blocks – CF-H40S+

as sintered, grinding allowance on all dimensions, thickness ground to +0,4/+0,6 mm

Type	Item	Length +GA [mm]	Width +GA [mm]	Thickness +0.4/+0.6 [mm]
CTEB20-150,0x090,0x076,5 CF-H40S+	11966437	150	90	76.5
CTEB20-150,0x100,0x004,0 CF-H40S+	11797499	150	100	4
CTEB20-150,0x100,0x005,0 CF-H40S+	11797501	150	100	5
CTEB20-150,0x100,0x006,0 CF-H40S+	11797503	150	100	6
CTEB20-150,0x100,0x008,0 CF-H40S+	11627646	150	100	8
CTEB20-150,0x100,0x010,0 CF-H40S+	11627651	150	100	10
CTEB20-150,0x100,0x012,0 CF-H40S+	11627634	150	100	12
CTEB20-150,0x100,0x015,0 CF-H40S+	11627653	150	100	15
CTEB20-150,0x100,0x016,0 CF-H40S+	11627636	150	100	16
CTEB20-150,0x100,0x018,0 CF-H40S+	11966438	150	100	18
CTEB20-150,0x100,0x020,0 CF-H40S+	11627637	150	100	20
CTEB20-150,0x100,0x022,0 CF-H40S+	11797504	150	100	22
CTEB20-150,0x100,0x025,0 CF-H40S+	11797506	150	100	25
CTEB20-150,0x100,0x028,0 CF-H40S+	11797508	150	100	28
CTEB20-150,0x100,0x030,0 CF-H40S+	11627638	150	100	30
CTEB20-150,0x100,0x032,0 CF-H40S+	11797510	150	100	32
CTEB20-150,0x100,0x035,0 CF-H40S+	11797511	150	100	35
CTEB20-150,0x100,0x040,0 CF-H40S+	11797512	150	100	40
CTEB20-150,0x100,0x042,0 CF-H40S+	11966444	150	100	42
CTEB20-150,0x100,0x045,0 CF-H40S+	11966445	150	100	45
CTEB20-150,0x100,0x050,0 CF-H40S+	11966446	150	100	50
CTEB20-150,0x100,0x055,0 CF-H40S+	11797513	150	100	55
CTEB20-150,0x100,0x060,0 CF-H40S+	11966447	150	100	60
CTEB20-150,0x100,0x066,0 CF-H40S+	11966448	150	100	66
CTEB20-150,0x100,0x070,0 CF-H40S+	14436115	150	100	70
CTEB20-150,0x100,0x076,5 CF-H40S+	11966449	150	100	76.5
CTEB20-150,0x150,0x022,0 CF-H40S+	11797519	150	150	22
CTEB20-150,0x150,0x030,0 CF-H40S+	11966450	150	150	30
CTEB20-200,0x072,0x010,0 CF-H40S+	11797521	200	72	10
CTEB20-200,0x072,0x015,0 CF-H40S+	11966451	200	72	15
CTEB20-200,0x072,0x020,0 CF-H40S+	11966452	200	72	20
CTEB20-200,0x072,0x025,0 CF-H40S+	11966453	200	72	25
CTEB20-200,0x072,0x030,0 CF-H40S+	11797523	200	72	30
CTEB20-200,0x072,0x060,0 CF-H40S+	11966454	200	72	60
CTEB20-200,0x100,0x025,0 CF-H40S+	11797524	200	100	25
CTEB20-200,0x150,0x020,0 CF-H40S+	11966455	200	150	20
CTEB20-200,0x200,0x020,0 CF-H40S+	11797525	200	200	20
CTEB20-200,0x200,0x022,0 CF-H40S+	11797526	200	200	22

EDM Blocks – CF-H40S+

as sintered, grinding allowance on all dimensions, thickness ground to +0,4/+0,6 mm

Type	Item	Length +GA [mm]	Width +GA [mm]	Thickness +0.4/+0.6 [mm]
CTEB20-200,0x200,0x025,0 CF-H40S+	11797527	200	200	25
CTEB20-200,0x200,0x030,0 CF-H40S+	11797529	200	200	30
CTEB20-200,0x200,0x060,0 CF-H40S+	14436107	200	200	60
CTEB20-250,0x150,0x020,0 CF-H40S+	11797530	250	150	20
CTEB20-250,0x150,0x026,0 CF-H40S+	11797532	250	150	26
CTEB20-250,0x150,0x032,0 CF-H40S+	11966456	250	150	32
CTEB20-250,0x250,0x016,0 CF-H40S+	14436096	250	250	16
CTEB20-250,0x250,0x020,0 CF-H40S+	14436100	250	250	20
CTEB20-250,0x250,0x022,0 CF-H40S+	14436102	250	250	22
CTEB20-250,0x250,0x025,0 CF-H40S+	14436103	250	250	25
CTEB20-250,0x250,0x026,0 CF-H40S+	14436104	250	250	26
CTEB20-250,0x250,0x030,0 CF-H40S+	14436106	250	250	30
CTEB20-285,0x285,0x016,0 CF-H40S+	14436108	285	285	16
CTEB20-285,0x285,0x020,0 CF-H40S+	14436110	285	285	20
CTEB20-285,0x285,0x022,0 CF-H40S+	11797533	285	285	22
CTEB20-285,0x285,0x028,0 CF-H40S+	11797534	285	285	28

Delivery: ex-stock. Further dimensions upon request.

EDM Blocks – CF-H25S+

as sintered, grinding allowance on all dimensions, thickness ground to +0,4/+0,6 mm

Type	Item	Length +GA [mm]	Width +GA [mm]	Thickness +0.4/+0.6 [mm]
CTEB20-100,0x100,0x001,0 CF-H25S+	11966382	100	100	1
CTEB20-100,0x100,0x002,0 CF-H25S+	11966384	100	100	2
CTEB20-100,0x100,0x002,5 CF-H25S+	11966385	100	100	2.5
CTEB20-100,0x100,0x003,0 CF-H25S+	11627613	100	100	3
CTEB20-100,0x100,0x004,0 CF-H25S+	11627614	100	100	4
CTEB20-100,0x100,0x005,0 CF-H25S+	11966386	100	100	5
CTEB20-100,0x100,0x006,0 CF-H25S+	11627615	100	100	6
CTEB20-100,0x100,0x007,0 CF-H25S+	11966387	100	100	7
CTEB20-100,0x100,0x008,0 CF-H25S+	11627619	100	100	8
CTEB20-100,0x100,0x009,0 CF-H25S+	11797450	100	100	9
CTEB20-100,0x100,0x010,0 CF-H25S+	11627621	100	100	10
CTEB20-100,0x100,0x012,0 CF-H25S+	11627622	100	100	12
CTEB20-100,0x100,0x015,0 CF-H25S+	11627623	100	100	15
CTEB20-100,0x100,0x020,0 CF-H25S+	11627625	100	100	20
CTEB20-100,0x100,0x025,0 CF-H25S+	11797453	100	100	25
CTEB20-100,0x100,0x030,0 CF-H25S+	11627626	100	100	30
CTEB20-100,0x100,0x071,0 CF-H25S+	14436141	100	100	71
CTEB20-150,0x070,0x042,0 CF-H25S+	11966393	150	70	42
CTEB20-150,0x070,0x050,0 CF-H25S+	11797458	150	70	50
CTEB20-150,0x072,0x052,0 CF-H25S+	11797459	150	72	52
CTEB20-150,0x075,0x003,0 CF-H25S+	11966395	150	75	3
CTEB20-150,0x075,0x004,0 CF-H25S+	11966396	150	75	4
CTEB20-150,0x075,0x005,0 CF-H25S+	11966397	150	75	5
CTEB20-150,0x075,0x006,0 CF-H25S+	11966399	150	75	6
CTEB20-150,0x075,0x008,0 CF-H25S+	11797464	150	75	8
CTEB20-150,0x075,0x010,0 CF-H25S+	11797465	150	75	10
CTEB20-150,0x075,0x012,0 CF-H25S+	11797466	150	75	12
CTEB20-150,0x100,0x010,0 CF-H25S+	12157660	150	100	10
CTEB20-150,0x100,0x015,0 CF-H25S+	11966402	150	100	15
CTEB20-150,0x100,0x020,0 CF-H25S+	11966403	150	100	20
CTEB20-150,0x100,0x025,0 CF-H25S+	11966404	150	100	25
CTEB20-150,0x100,0x055,0 CF-H25S+	11776192	150	100	55
CTEB20-150,0x100,0x060,0 CF-H25S+	11966405	150	100	60
CTEB20-190,0x072,0x010,0 CF-H25S+	11966406	190	72	10
CTEB20-200,0x100,0,0x025,0 CF-H25S+	11966410	200	100	25

Delivery: ex-stock. Further dimensions upon request.

EDM Blocks – CF-S18Z

as sintered, grinding allowance on all dimensions, thickness ground to +0,4/+0,6 mm

Type	Item	Length +GA [mm]	Width +GA [mm]	Thickness +0.4/+0.6 [mm]
CTEB20-100,0x100,0x002,0 CF-S18Z	11797538	100	100	2
CTEB20-100,0x100,0x003,0 CF-S18Z	11797539	100	100	3
CTEB20-100,0x100,0x004,0 CF-S18Z	11797546	100	100	4
CTEB20-100,0x100,0x005,0 CF-S18Z	11797548	100	100	5
CTEB20-100,0x100,0x007,0 CF-S18Z	11797549	100	100	7
CTEB20-100,0x100,0x009,0 CF-S18Z	11797550	100	100	9
CTEB20-100,0x100,0x010,0 CF-S18Z	11797552	100	100	10
CTEB20-100,0x100,0x012,0 CF-S18Z	11797555	100	100	12
CTEB20-100,0x100,0x015,0 CF-S18Z	11797557	100	100	15
CTEB20-100,0x100,0x071,0 CF-S18Z	14436143	100	100	71
CTEB20-150,0x100,0x006,0 CF-S18Z	11797558	150	100	6
CTEB20-150,0x100,0x008,0 CF-S18Z	11797559	150	100	8
CTEB20-150,0x100,0x016,0 CF-S18Z	11797560	150	100	16
CTEB20-150,0x100,0x020,0 CF-S18Z	11797561	150	100	20
CTEB20-150,0x100,0x023,0 CF-S18Z	11965732	150	100	23
CTEB20-150,0x100,0x025,0 CF-S18Z	11797563	150	100	25
CTEB20-150,0x100,0x028,0 CF-S18Z	11965735	150	100	28
CTEB20-150,0x100,0x030,0 CF-S18Z	11797564	150	100	30
CTEB20-150,0x100,0x032,0 CF-S18Z	11797565	150	100	32
CTEB20-150,0x100,0x055,0 CF-S18Z	11965741	150	100	55
CTEB20-150,0x100,0x060,0 CF-S18Z	11965742	150	100	60

Delivery: ex-stock. Further dimensions upon request.

EDM Blocks – CF-F35Z

as sintered, grinding allowance on all dimensions, thickness ground to +0,4/+0,6 mm

Type	Item	Length +GA [mm]	Width +GA [mm]	Thickness +0.4/+0.6 [mm]
CTEB20-100,0x082,5x076,5 CF-F35Z	11965825	100	82.5	76.5
CTEB20-150,0x072,0x062,0 CF-F35Z	11965829	150	72	62
CTEB20-150,0x080,0x070,0 CF-F35Z	14436116	150	80	70
CTEB20-150,0x100,0x002,0 CF-F35Z	11965762	150	100	2
CTEB20-150,0x100,0x003,0 CF-F35Z	11965768	150	100	3
CTEB20-150,0x100,0x006,0 CF-F35Z	11965772	150	100	6
CTEB20-150,0x100,0x008,0 CF-F35Z	11965776	150	100	8
CTEB20-150,0x100,0x010,0 CF-F35Z	11965782	150	100	10
CTEB20-150,0x100,0x012,0 CF-F35Z	11965788	150	100	12
CTEB20-150,0x100,0x015,0 CF-F35Z	11965790	150	100	15
CTEB20-150,0x100,0x016,0 CF-F35Z	11965791	150	100	16
CTEB20-150,0x100,0x018,0 CF-F35Z	11965793	150	100	18
CTEB20-150,0x100,0x020,0 CF-F35Z	11965799	150	100	20
CTEB20-150,0x100,0x023,0 CF-F35Z	11965801	150	100	23
CTEB20-150,0x100,0x025,0 CF-F35Z	11965809	150	100	25
CTEB20-150,0x100,0x028,0 CF-F35Z	11965813	150	100	28
CTEB20-150,0x100,0x030,0 CF-F35Z	11965814	150	100	30
CTEB20-150,0x100,0x040,0 CF-F35Z	14436118	150	100	40
CTEB20-150,0x100,0x045,0 CF-F35Z	14436120	150	100	45
CTEB20-150,0x100,0x050,0 CF-F35Z	14424887	150	100	50
CTEB20-150,0x100,0x060,0 CF-F35Z	11965831	150	100	60

Delivery: ex-stock. Further dimensions upon request.

EDM Blocks – CF-S12Z

as sintered, grinding allowance on all dimensions, thickness ground to +0,4/+0,6 mm

Type	Item	Length +GA [mm]	Width +GA [mm]	Thickness +0.4/+0.6 [mm]
CTEB20-100,0x082,5x076,5 CF-S12Z	11965713	100	82.5	76.5
CTEB20-150,0x072,0x062,0 CF-S12Z	11965715	150	72	62
CTEB20-100,0x100,0x002,0 CF-S12Z	14436185	100	100	2
CTEB20-100,0x100,0x003,0 CF-S12Z	14436267	100	100	3
CTEB20-100,0x100,0x004,0 CF-S12Z	14436260	100	100	4
CTEB20-100,0x100,0x005,0 CF-S12Z	14436196	100	100	5
CTEB20-100,0x100,0x006,0 CF-S12Z	14436231	100	100	6
CTEB20-100,0x100,0x007,0 CF-S12Z	14436206	100	100	7
CTEB20-100,0x100,0x008,0 CF-S12Z	14436177	100	100	8
CTEB20-100,0x100,0x009,0 CF-S12Z	14436269	100	100	9
CTEB20-100,0x100,0x010,0 CF-S12Z	14436170	100	100	10
CTEB20-100,0x100,0x012,0 CF-S12Z	14436173	100	100	12
CTEB20-100,0x100,0x015,0 CF-S12Z	14436202	100	100	15
CTEB20-100,0x100,0x016,0 CF-S12Z	14436270	100	100	16
CTEB20-100,0x100,0x018,0 CF-S12Z	14436186	100	100	18
CTEB20-100,0x100,0x020,0 CF-S12Z	14436203	100	100	20
CTEB20-100,0x100,0x023,0 CF-S12Z	14441942	100	100	23
CTEB20-100,0x100,0x025,0 CF-S12Z	14436271	100	100	25
CTEB20-100,0x100,0x028,0 CF-S12Z	14436261	100	100	28
CTEB20-100,0x100,0x030,0 CF-S12Z	14436259	100	100	30
CTEB20-100,0x100,0x032,0 CF-S12Z	14436251	100	100	32
CTEB20-100,0x100,0x055,0 CF-S12Z	14436243	100	100	55
CTEB20-100,0x100,0x060,0 CF-S12Z	14436236	100	100	60

Delivery: ex-stock. Further dimensions upon request.

EDM Blocks – CTM30Y

as sintered, grinding allowance on all dimensions +0,4/+0,6 mm

Type	Item	Length +GA [mm]	Width +GA [mm]	Thickness +GA [mm]
CTEB00-100,0x100,0x003,0 CTM30Y	14483292	100	100	3
CTEB00-100,0x100,0x004,0 CTM30Y	14483300	100	100	4
CTEB00-100,0x100,0x005,0 CTM30Y	14483305	100	100	5
CTEB00-100,0x100,0x006,0 CTM30Y	14483306	100	100	6
CTEB00-100,0x100,0x007,0 CTM30Y	14483312	100	100	7
CTEB00-100,0x100,0x008,0 CTM30Y	14483314	100	100	8
CTEB00-100,0x100,0x010,0 CTM30Y	14483316	100	100	10
CTEB00-150,0x100,0x012,0 CTM30Y	14483317	150	100	12
CTEB00-150,0x100,0x015,0 CTM30Y	14483318	150	100	15
CTEB00-150,0x100,0x020,0 CTM30Y	14483320	150	100	20
CTEB00-150,0x100,0x025,0 CTM30Y	14483322	150	100	25
CTEB00-150,0x100,0x040,0 CTM30Y	14483326	150	100	40
CTEB00-150,0x072,0x052,0 CTM30Y	14483331	150	72	52
CTEB00-150,0x100,0x060,0 CTM30Y	14483332	150	100	60
CTEB00-150,0x072,0x062,0 CTM30Y	14483336	150	72	62
CTEB00-150,0x100,0x066,0 CTM30Y	14483338	150	100	66

Delivery: ex-stock. Further dimensions upon request.

Rods for punching dies – CF-H40S+ as sintered

Type	Item	Outer diameter [mm]	Tolerance [mm]	Length [mm]
RR 0115-330 CF-H40S+	11807645	1.15	-0 / +0.15	330
RR 0165-330 CF-H40S+	11807651	1.65	-0 / +0.15	330
RR 0220-330 CF-H40S+	11807654	2.20	-0 / +0.20	330
RR 0270-330 CF-H40S+	11807655	2.70	-0 / +0.20	330
RR 0325-330 CF-H40S+	11807657	3.25	-0 / +0.10	330
RR 0370-330 CF-H40S+	11807662	3.70	-0 / +0.20	330
RR 0420-330 CF-H40S+	11807663	4.20	-0 / +0.20	330
RR 0470-330 CF-H40S+	11807668	4.70	-0 / +0.20	330
RR 0520-330 CF-H40S+	11807670	5.20	-0 / +0.25	330
RR 0570-330 CF-H40S+	11807672	5.70	-0 / +0.25	330
RR 0620-330 CF-H40S+	11807674	6.20	-0 / +0.25	330
RR 0670-330 CF-H40S+	11807675	6.70	-0 / +0.25	330
RR 0720-330 CF-H40S+	11807676	7.20	-0 / +0.30	330
RR 0770-330 CF-H40S+	11807677	7.70	-0 / +0.30	330
RR 0820-330 CF-H40S+	11807679	8.20	-0 / +0.30	330
RR 0870-330 CF-H40S+	11807681	8.70	-0 / +0.30	330
RR 0920-330 CF-H40S+	11807683	9.20	-0 / +0.30	330
RR 0970-330 CF-H40S+	11807684	9.70	-0 / +0.30	330
RR 1020-330 CF-H40S+	11807685	10.20	-0 / +0.30	330
RR 1070-330 CF-H40S+	11807686	10.70	-0 / +0.30	330
RR 1120-330 CF-H40S+	11807687	11.20	-0 / +0.30	330
RR 1170-330 CF-H40S+	11807688	11.70	-0 / +0.30	330
RR 1220-330 CF-H40S+	11807690	12.20	-0 / +0.30	330
RR 1270-330 CF-H40S+	11807691	12.70	-0 / +0.30	330
RR 1320-330 CF-H40S+	11807693	13.20	-0 / +0.30	330
RR 1420-330 CF-H40S+	11807694	14.20	-0 / +0.30	330
RR 1470-330 CF-H40S+	11807695	14.70	-0 / +0.30	330
RR 1520-330 CF-H40S+	11807696	15.20	-0 / +0.30	330
RR 1620-330 CF-H40S+	11807698	16.20	-0 / +0.45	330
RR 1720-330 CF-H40S+	11807699	17.20	-0 / +0.45	330
RR 1820-330 CF-H40S+	11807701	18.20	-0 / +0.45	330
RR 1920-330 CF-H40S+	11807702	19.20	-0 / +0.45	330
RR 2020-330 CF-H40S+	11807704	20.20	-0 / +0.45	330
RR 2120-330 CF-H40S+	11807708	21.20	-0 / +0.55	330
RR 2220-330 CF-H40S+	11807710	22.20	-0 / +0.55	330
RR 2320-330 CF-H40S+	11807712	23.20	-0 / +0.55	330
RR 2420-330 CF-H40S+	11807713	24.20	-0 / +0.55	330
RR 2520-330 CF-H40S+	11807714	25.20	-0 / +0.65	330

Delivery: ex-stock. Further dimensions upon request.

Rods for punching dies – CF-S18Z

as sintered

Type	Item	Outer diameter [mm]	Tolerance [mm]	Length [mm]
RR 0115-330 CF-S18Z	11807741	1.15	-0 / +0.15	330
RR 0165-330 CF-S18Z	11807743	1.65	-0 / +0.15	330
RR 0220-330 CF-S18Z	11807746	2.20	-0 / +0.20	330
RR 0270-330 CF-S18Z	11807747	2.70	-0 / +0.20	330
RR 0325-330 CF-S18Z	11807748	3.25	-0 / +0.10	330
RR 0370-330 CF-S18Z	11807749	3.70	-0 / +0.20	330
RR 0420-330 CF-S18Z	11807750	4.20	-0 / +0.20	330
RR 0470-330 CF-S18Z	11807751	4.70	-0 / +0.20	330
RR 0520-330 CF-S18Z	11807752	5.20	-0 / +0.25	330
RR 0570-330 CF-S18Z	11807754	5.70	-0 / +0.25	330
RR 0620-330 CF-S18Z	11807755	6.20	-0 / +0.25	330
RR 0670-330 CF-S18Z	11807757	6.70	-0 / +0.25	330
RR 0720-330 CF-S18Z	11807758	7.20	-0 / +0.30	330
RR 0770-330 CF-S18Z	11807759	7.70	-0 / +0.30	330
RR 0820-330 CF-S18Z	11807761	8.20	-0 / +0.30	330
RR 0870-330 CF-S18Z	11807762	8.70	-0 / +0.30	330
RR 0920-330 CF-S18Z	11807767	9.20	-0 / +0.30	330
RR 0970-330 CF-S18Z	11807768	9.70	-0 / +0.30	330
RR 1020-330 CF-S18Z	11807769	10.20	-0 / +0.30	330
RR 1070-330 CF-S18Z	11807770	10.70	-0 / +0.30	330
RR 1120-330 CF-S18Z	11807771	11.20	-0 / +0.30	330
RR 1170-330 CF-S18Z	11807772	11.70	-0 / +0.30	330
RR 1220-330 CF-S18Z	11807773	12.20	-0 / +0.30	330
RR 1270-330 CF-S18Z	11807774	12.70	-0 / +0.30	330
RR 1320-330 CF-S18Z	11807775	13.20	-0 / +0.30	330
RR 1420-330 CF-S18Z	11807776	14.20	-0 / +0.30	330
RR 1470-330 CF-S18Z	11807777	14.70	-0 / +0.30	330
RR 1520-330 CF-S18Z	11807778	15.20	-0 / +0.30	330
RR 1620-330 CF-S18Z	11807779	16.20	-0 / +0.45	330
RR 1720-330 CF-S18Z	11807780	17.20	-0 / +0.45	330
RR 1820-330 CF-S18Z	11807781	18.20	-0 / +0.45	330
RR 1920-330 CF-S18Z	11807782	19.20	-0 / +0.45	330
RR 2020-330 CF-S18Z	11807783	20.20	-0 / +0.45	330
RR 2120-330 CF-S18Z	11807784	21.20	-0 / +0.55	330
RR 2220-330 CF-S18Z	11807785	22.20	-0 / +0.55	330
RR 2320-330 CF-S18Z	11807786	23.20	-0 / +0.55	330
RR 2420-330 CF-S18Z	11807787	24.20	-0 / +0.55	330
RR 2520-330 CF-S18Z	11807788	25.20	-0 / +0.65	330

Delivery: ex-stock. Further dimensions upon request.

Rods for punching dies – CF-H40S+

Diameter ground h6

Type	Item	Outer diameter [mm]	Tolerance [mm]	Length [mm]
RG 0100-330 CF-H40S+ h6	11807720	1.00	+0 / -0.006	330
RG 0150-330 CF-H40S+ h6	11807722	1.50	+0 / -0.006	330
RG 0200-330 CF-H40S+ h6	11807723	2.00	+0 / -0.006	330
RG 0250-330 CF-H40S+ h6	11807724	2.50	+0 / -0.006	330
RG 0300-330 CF-H40S+ h6	11807726	3.00	+0 / -0.006	330
RG 0350-330 CF-H40S+ h6	11807727	3.50	+0 / -0.008	330
RG 0400-330 CF-H40S+ h6	11807728	4.00	+0 / -0.008	330
RG 0450-330 CF-H40S+ h6	11807729	4.50	+0 / -0.008	330
RG 0500-330 CF-H40S+ h6	11807730	5.00	+0 / -0.008	330
RG 0550-330 CF-H40S+ h6	11807731	5.50	+0 / -0.008	330
RG 0600-330 CF-H40S+ h6	11807732	6.00	+0 / -0.008	330
RG 0700-330 CF-H40S+ h6	11807734	7.00	+0 / -0.009	330
RG 0800-330 CF-H40S+ h6	11807735	8.00	+0 / -0.009	330
RG 0900-330 CF-H40S+ h6	11807738	9.00	+0 / -0.009	330
RG 1000-330 CF-H40S+ h6	11807739	10.00	+0 / -0.009	330

Delivery: ex-stock. Further dimensions upon request.

Rods for punching dies – CF-S18Z

Diameter ground h6

Type	Item	Outer diameter [mm]	Tolerance [mm]	Length [mm]
RG 0100-330 CF-S18Z h6	11807793	1.00	+0 / -0.006	330
RG 0150-330 CF-S18Z h6	11807794	1.50	+0 / -0.006	330
RG 0200-330 CF-S18Z h6	11807795	2.00	+0 / -0.006	330
RG 0250-330 CF-S18Z h6	11807796	2.50	+0 / -0.006	330
RG 0300-330 CF-S18Z h6	11807797	3.00	+0 / -0.006	330
RG 0350-330 CF-S18Z h6	11807798	3.50	+0 / -0.008	330
RG 0400-330 CF-S18Z h6	11807799	4.00	+0 / -0.008	330
RG 0450-330 CF-S18Z h6	11807800	4.50	+0 / -0.008	330
RG 0500-330 CF-S18Z h6	11807801	5.00	+0 / -0.008	330
RG 0550-330 CF-S18Z h6	11807802	5.50	+0 / -0.008	330
RG 0600-330 CF-S18Z h6	11807803	6.00	+0 / -0.008	330
RG 0650-330 CF-S18Z h6	11807804	6.50	+0 / -0.009	330
RG 0700-330 CF-S18Z h6	11807805	7.00	+0 / -0.009	330
RG 0750-330 CF-S18Z h6	11807806	7.50	+0 / -0.009	330
RG 0800-330 CF-S18Z h6	11807807	8.00	+0 / -0.009	330
RG 0850-330 CF-S18Z h6	11807808	8.50	+0 / -0.009	330
RG 0900-330 CF-S18Z h6	11807809	9.00	+0 / -0.009	330
RG 0950-330 CF-S18Z h6	11807810	9.50	+0 / -0.009	330
RG 1000-330 CF-S18Z h6	11807811	10.00	+0 / -0.009	330

Delivery: ex-stock. Further dimensions upon request.

Headquarters

CERATIZIT S.A.
LU-8232 Mamer
T. +352 31 20 85-1
E. hardmaterialsolutions@ceratizit.com
ceratizit.com

Sales site

CERATIZIT Empfingen GmbH
D-72186 Empfingen; Germany
T. +49 7485 99802-0
E. customerservice.de@ceratizit.com